

# US-501



SEWFREE ULTRASONIC MULTI-PURPOSE WELDER 超声波无缝切边机

### INCREDIBLE SOLUTION

- Stretch Fabric Ready
- Precise Trimming
- Anti-fray Cut Edge
- Perfect for Knit and Lycra
- Both Straight and Curve Seam
- Software Upgradable

### 不可思议的解决方案

- 预置弹性面料处理程序
- 精确定位裁剪切边
- 没有毛边瑕疵的布切割
- 特别适合针织及莱卡面料
- 适合直线或曲线切割
- 软件可以按需要随时升级

20

### HIGHLIGHTING FEATURES

- User Friendly Sewing Machine Platform
- Ultrasonic System Status Indication
- Innovative Auto Cutter Calibration
- Extremely Narrow Allowance
- Fabric Thickness Selection
- 40 kHz Quiet Operation
- Pattern Cutting Mode
- Power Monitoring

### 显著特点

- 采用整套美国原装进口超声波系统
- 简易操作的缝纫机平台
- 40 kHz 宁静超声波系统
- 创新切刀自动校准系统
- 多重切割模式对应骨位
- 超声波系统状态显示
- 面料厚度选择
- 花样切割模式

### SPECIFICATIONS

### 规格

Power Supply	电压		AC 220V 50/60Hz, 1Φ
Power Consumption	功率	(W)	700
Ultrasonic Frequency	超声波工作频率	(kHz)	40
Horn Dimension	工作头尺寸	(mm)	3 x 6
Maximum Welding Speed	焊接速度	(ft/min)	10
Dimensions	外型	LxWxH (mm)	1100 x 500 x 1200
Net Weight	净重	(kg)	120



# SYMBOLS 标志



**TOP & BOTTOM  
DIFFERENTIAL  
FEED ROLLER**



**TAPE CUTTER**



**EDGE TRIMMER**




**VACUUM SUCTION**



**HOT AIR**



**CHUTE HEAT**



**PROGRAM CONTROL**




**BLACK & WHITE  
DISPLAY WITH  
TOUCH SCREEN**




**COLOUR DISPLAY  
WITH TOUCH SCREEN**




**DISPLAY  
PUSH BUTTON**




**UPPER MOLD  
MOVES DOWN**



**BOTTOM MOLD  
MOVES UPSIDE**



**HEAT ON  
UPPER MOLD**



**HEAT ON  
BOTTOM MOLD**



**HEAT & COOL**



**MANUAL MOVEMENT  
UPPER OR LOWER MOLD**




**AUTO MOVEMENT  
UPPER OR LOWER MOLD**



**SWING ARM**



**TAPE FEEDER**



**SCISSOR UPPER  
MOLD MOVEMENT**



**ULTRASONIC**



[www.lidermaq.com](http://www.lidermaq.com)  
[ventas@lidermaq.net](mailto:ventas@lidermaq.net)

# H&H

SINCE 1993

**H&H ASIA GROUP LTD.**

Room 1117, 11/F, Asia Trade Centre, 79 Lei Muk Road, Kwai Chung, N.T., Hong Kong

高科美亚有限公司

香港新界葵涌梨木道79号亚洲贸易中心11楼1117室

[sales@hh.com.hk](mailto:sales@hh.com.hk) | [www.hh.com.hk](http://www.hh.com.hk)